



Seals

Article 6900 Magnetic profile 135°

Art.-No.: 6900 Magnetic profile 135°



Example of application




Scale not 1:1, all dimensions in mm
Prepared for 8 mm glass - other thicknesses on request
For public safety only use tempered glass
Manufacturing tolerances and changes remain reserved


Seals

Article 6901 Magnetic profile 90°

Art.-No.: 6901 Magnetic profile 90°



Example of application




Scale not 1:1, all dimensions in mm
Prepared for 8 mm glass - other thicknesses on request
For public safety only use tempered glass
Manufacturing tolerances and changes remain reserved


Seals

Article 6902 Magnetic profile 180°

Art.-No.: 6902 Magnetic profile 180°



Example of application




Scale not 1:1, all dimensions in mm
 Prepared for 8 mm glass - other thicknesses on request
 For public safety only use tempered glass
 Manufacturing tolerances and changes remain reserved


Seals

Article 6903 Bulb Seal

Art.-No.: 6903 Bulb Seal



Example of application



42-2,01
4-2,5


1,90

Scale not 1:1, all dimensions in mm
Prepared for 8 mm glass - other thicknesses on request
For public safety only use tempered glass
Manufacturing tolerances and changes remain reserved


Seals

Article 6904 Door jamb profile 90°

Art.-No.: 6904 Door jamb profile 90°



Example of application



Scale not 1:1, all dimensions in mm

Prepared for 8 mm glass - other thicknesses on request

For public safety only use tempered glass


Manufacturing tolerances and changes remain reserved

KL® megl


Seals

Article 6905 Door jamb profile 180°

Art.-No.: 6905 Door jamb profile 180°



Example of application




Scale not 1:1, all dimensions in mm
Prepared for 8 mm glass - other thicknesses on request
For public safety only use tempered glass
Manufacturing tolerances and changes remain reserved


Seals

Article 6906 Edge Wipe

Art.-No.: 6906 Edge Wipe



Example of application



Scale not 1:1, all dimensions in mm



For public safety only use tempered glass

*Manufacturing tolerances and changes remain reserved


Seals

Article 6907 Shower door threshold

Art.-No.: 6907 Shower door threshold - Aluminium powdercoated white



Example of application




Scale not 1:1, all dimensions in mm
For public safety only use tempered glass
Manufacturing tolerances and changes remain reserved


Seals

Article 6907R Shower door threshold

Art.-No.: 6907 Shower door threshold, bent 480 radius - Aluminium powdercoated white



Example of application



Scale not 1:1, all dimensions in mm


For public safety only use tempered glass

**anufacturing tolerances and changes remain reserved


Seals

Article 6908 Shower door threshold

Art.-No.: 6908 Acrylic Shower door threshold (see also Art. No. 6913) transparent
transparent, use silicone to attach



Example of application



Scale not 1:1, all dimensions in mm
For public safety only use tempered glass
Manufacturing tolerances and changes remain reserved


Seals

Article 6909 h-profile

Art.-No.: 6909 h-profile with soft wipe



Example of application



Scale not 1:1, all dimensions in mm

Prepared for 8 mm glass - (when using 6 mm glass the deduction from the clear width has to be 2 mm less)


For public safety only use tempered glass

Manufacturing tolerances and changes remain reserved


Seals

Article 6910 Bottom wipe

Art.-No.: 6910 Bottom wipe with drip rail 135°



Example of application



Scale not 1:1, all dimensions in mm

Prepared for 8 mm glass - (when using 6 mm glass the deduction from the clear width has to be 2 mm less)



For public safety only use tempered glass

Manufacturing tolerances and changes remain reserved

Seals

Article 6911 h-profile

Art.-No.: 6911 h-profile for overlapping door panel

**Example of application**

Scale not 1:1, all dimensions in mm

Prepared for 8 mm glass - (when using 6 mm glass the deduction from the clear width has to be 2 mm less)


For public safety only use tempered glass

Manufacturing tolerances and changes remain reserved


Seals

Article 6912 Bottom wipe

Art.-No.: 6912 Bottom wipe



Example of application



Scale not 1:1, all dimensions in mm

Prepared for 8 mm glass - (when using 6 mm glass the deduction from the clear width has to be 2 mm less)

For public safety only use tempered glass


Manufacturing tolerances and changes remain reserved

Seals


Article 6913 Acrylic shower door threshold

Art.-No.: 6913 Acrylic shower door threshold (see also Art. No. 6908)

transparent, use silicone to attach



Example of application



Scale not 1:1, all dimensions in mm


For public safety only use tempered glass

Manufacturing tolerances and changes remain reserved


Seals

Article 6914 Bottom wipe with bulb seal

Art.-No.: 6914 Bottom wipe with bulb seal



Example of application



Scale not 1:1, all dimensions in mm

Prepared for 8 mm glass - (when using 6 mm glass the deduction from the clear width has to be 2 mm less)


For public safety only use tempered glass

Manufacturing tolerances and changes remain reserved






Seals

Article 6915 Wall attachment bar for seals

Art.-No.: 6915 Wall attachment bar for seals



Example of application



Scale not 1:1, all dimensions in mm

For public safety only use tempered glass

**manufacturing tolerances and changes remain reserved